


Document Information:				
Assessment Title		Hazardous Chemical Risk Assessment		
Assessment Number		11		
Assessment Date:		30/06/2026		
Assessor:		Jane Kviklys		
Chemical Details				
Product Name:		Firesound White		
Manufacturer/Supplier:		H.B. Fuller Company Australia Pty Ltd		
Product code:		100000012929		
SDS Issue/Revision Date:		SDS Revision Date:	06/03/2031	
Persons at Risk:		☒ Employees	☒ Subcontractors	☒ Visitors entering work area
Intended use:		Water based adhesive		
GHS Classification				
Hazard Pictograms				
				
GHS01 Explosive	GHS02 Flammable	GHS03 Oxidising	GHS04 Gases under pressure	GHS05 Corrosive
☐	☐	☐	☐	☐
				
GHS06 Acute toxicity	GHS07 Health hazard	GHS08 Chronic health hazard	GHS09 Environmental	
☐	☐	☐	☐	
Classification				
Dangerous		Hazardous		Not Classified Dangerous or Hazardous
☒		☒		☐
Main Route of Exposure				
Inhalation	Skin	Eyes	Ingestion	Environmental
☐	☐	☐	☐	☐
Existing Controls				
SDS available	SWMS available	Training Completed	Ventilation provided	Spill Kit Available
☐	☐	☐	☐	☐
Emergency Eye Wash	Restricted access	Chemical stored correctly		
☐	☐	☐		
Personal Protective Equipment (PPE)				
Safety Glasses	Goggles	Face Shield	Disposable Gloves	Chemical Resistant Gloves
☐	☐	☐	☐	☐
Long Sleeves	Protective Clothing	Respirator		
☐	☐	☐		
Emergency Requirements and Storage and Disposal				
First Aid Requirements	Skin Contact	Eye Contact	Inhalation	Ingestion
If symptoms persist seek medical advice	Remove contaminated clothing Wash skin with soap and water	Flush eyes with water	Move affected person to fresh air	Not considered a normal route of exposure Do not induce vomiting
Spill Response	Fire Response	Storage	Disposal	Other
Eliminate ignition sources Ventilate area Use vermiculite or sand Prevent entry to drains	Water spray Dry chemical powder Carbon Dioxide CO2	Keep away from heat, sparks, open flames Protect from sunlight below 50°C Store cool dry well-ventilated area Segregate from oxidising agents, acids, alkalis and moisture	Dispose of according to local regulations	
Approval by				
Name and Position:		Jane Kviklys – QHSE Systems Coordinator		
Signature:				
Date:		06/07/2026		