

## SAFETY DATA SHEET

Version 1.0      Revision Date: 06.04.2022      SDS Number: 100000013154      Date of last issue: -  
Date of first issue: 06.04.2022

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FULAFILL GAP FILLER WHITE  
Product code : 100000013154

#### Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use : Water based adhesive

Restrictions on use : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 30 -< 60
propane-1,2-diol	57-55-6	< 10
kerosine (petroleum)	8008-20-6	< 10

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.04.2022	10000013154	Date of first issue: 06.04.2022

---

### SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
- Most important symptoms and effects, both acute and delayed : None known.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Not combustible.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : none
- Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.  
Prevent product from entering drains.
- Methods and materials for : Soak up with inert absorbent material (e.g. sand, silica gel,
-

## SAFETY DATA SHEET

Version 1.0      Revision Date: 06.04.2022      SDS Number: 10000013154      Date of last issue: -  
Date of first issue: 06.04.2022

containment and cleaning up      acid binder, universal binder, sawdust).

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No special protective measures against fire required.
- Advice on safe handling : No special precautions are needed in handling this material.
- Conditions for safe storage : Keep container closed when not in use.  
Keep in a dry, cool place.
- Materials to avoid : Do not freeze.  
No special restrictions on storage with other products.
- Recommended storage temperature :  $\geq 4$  °C
- Further information on storage stability : Do not freeze.  
Stable under normal conditions.  
The pressure in sealed containers can increase under the influence of heat.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA	10 mg/m <sup>3</sup>	AU OEL
Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
propane-1,2-diol	57-55-6	TWA (particulate)	10 mg/m <sup>3</sup>	AU OEL
		TWA (Total vapour and particles))	150 ppm 474 mg/m <sup>3</sup>	AU OEL
kerosine (petroleum)	8008-20-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
In case of insufficient ventilation, wear suitable respiratory equipment.

## SAFETY DATA SHEET

Version 1.0	Revision Date: 06.04.2022	SDS Number: 100000013154	Date of last issue: - Date of first issue: 06.04.2022
----------------	------------------------------	-----------------------------	--

---

Hand protection Material	:	Nitrile rubber
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Protective measures	:	No special protective equipment required.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	white
Odour	:	sweet
Odour Threshold	:	no data available
pH	:	9
Melting point/freezing point	:	0 °C
Boiling point/boiling range	:	100 °C
Flash point	:	not applicable
Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapour pressure	:	is not determined
Relative vapour density	:	is not determined
Density	:	1.6000 g/cm <sup>3</sup>
Solubility(ies)	:	

## SAFETY DATA SHEET

Version 1.0      Revision Date: 06.04.2022      SDS Number: 100000013154      Date of last issue: -  
Date of first issue: 06.04.2022

---

Water solubility : dispersible

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : is not determined

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Hazardous decomposition products : Stable under normal conditions.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

##### Components:

##### **kerosine (petroleum):**

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

#### Skin corrosion/irritation

##### Product:

Remarks : no data available

#### Serious eye damage/eye irritation

##### Product:

Remarks : no data available

## SAFETY DATA SHEET

Version 1.0      Revision Date: 06.04.2022      SDS Number: 100000013154      Date of last issue: -  
Date of first issue: 06.04.2022

---

### Chronic toxicity

#### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: no data available

#### Carcinogenicity

**Product:**

Remarks : no data available

#### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: no data available

#### STOT - single exposure

**Product:**

Remarks : no data available

#### STOT - repeated exposure

**Product:**

Remarks : no data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Components:**

**propane-1,2-diol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 710 mg/l  
Exposure time: 96 h  
Test Type: static test

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

## SAFETY DATA SHEET

Version 1.0      Revision Date: 06.04.2022      SDS Number: 100000013154      Date of last issue: -  
Date of first issue: 06.04.2022

---

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements : quartz (SiO<sub>2</sub>)  
Refer to model WHS Act and Regu-

---

## SAFETY DATA SHEET

Version 1.0	Revision Date: 06.04.2022	SDS Number: 10000013154	Date of last issue: - Date of first issue: 06.04.2022
----------------	------------------------------	----------------------------	--

---

lations for prohibition, authorisation  
and restricted use.

**The components of this product are reported in the following inventories:**

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : On the inventory, or in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

REACH : Not in compliance with the inventory

TECI : Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

**Further information**

Revision Date : 06.04.2022

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: [msds.request@hbfuller.com](mailto:msds.request@hbfuller.com)

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.04.2022	10000013154	Date of first issue: 06.04.2022

---

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.04.2022	100000013154	Date of first issue: 06.04.2022

---

AU / EN